



Declaration of Performance

1000.CPR.K-ROCFS.2021.002

Unique identification code of the product-type:
Intended use/es:
Manufacturer:
System/s of AVCP:
Harmonised technical specification:
Notified body/ies:
Certificate of constancy of performance no:

K-Roc Framing Slab
Thermal insulation for buildings
Kingspan Insulation Ltd, Herefordshire HR6 9LA,UK
System 1 (For Reaction to Fire), System 3 (For Other Properties)
BS-EN 13162:2012+A1:2015
Eurofins Expert services-0809
Eurofins Expert services-0809 - CPR – 19000635

Essential characteristics		Performance
Thermal resistance	Thermal resistance R_D ((m ² .K)/W)	Refer to ML
	Thermal conductivity λ_D (W/(m.K))	0.036
	Thickness tolerance	T2
Reaction to fire	Euroclass	A1
Durability of reaction to fire against heat, weathering, ageing / degradation	Durability of fire and thermal properties	NPD
Durability of Thermal Resistance Against Heat, Weathering, Ageing/Degradation		
Dimensional stability under specified temperature and humidity condition	Dimensional stability	≤ 1 % DS(70,-)
durability of compressive strength against ageing/degradation	Compressive creep	NPD
Compressive strength and stress	Compressive stress	NPD
	Compressive strength	NPD
	Point load PL(5)	NPD
Direct airborne sound insulation index	Air Flow Resistivity AFR	NPD
Durability of compressive strength against ageing / degradation	Compressive creep	NPD
Water permeability	Short term water absorption	≤ 1 kg/m ²
	Long term water absorption	≤ 3 kg/m ²
Water vapour permeability	Water vapour transmission	Mu 1
	Water Vapour Resistance Z	NPD



Declaration of Performance

impact noise transmission index (for floors)	Dynamic Stiffness SD	NPD
Tensile flexural strength	Tensile Strength Perpendicular to Faces TR, σ_{mt}	NPD
Acoustic absorption index	Sound absorption	NPD
Release of dangerous substances to the indoor environment	Release of dangerous substances	NPD
Continuous glowing combustion	glowing combustion	NPD
NPD: No Performance Determined		

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

For System 1 AVCP Notified certification body No 0836 Performed, carried out the determination of the product type, the inspection of the manufacturing plant and factory production control and continuous surveillance, assessment and evaluation of the factory production control, and issued the certificate of constancy of performance for reaction to fire, cert no Eurofinns Expert services-0809 - CPR – 19000635

Notified testing lab 0809 Performed the test reports for the other relevant declared characteristics (AVCP System 3 properties).

Signed for and on behalf of the manufacturer by:

.....
Aiveen Kearney
Managing Director
Pembridge , England, UK
Date signed: 17/10/2022
Issue Number: 002