

CERTIFICATE OF CONSTANCY OF PERFORMANCE

N° 2822-UKCA-CPR-0217

In compliance with Regulation 2020 N°1359 of the construction Products (EU exit) Regulation 2020, it was established that the construction product:

Product **Thermal insulation products for buildings. Factory made phenolic foam (PF) products.**

Reference of the product **Kingspan Kooltherm K110 Soffit Board**

Placed on the market by or for **KINGSPAN Insulation Limited
Torvale Industrial Estate, Pembridge, Leominster
HR6 9LA, UK**

and produced in the manufacturing plant located in **Pembridge, UK**

is submitted by the manufacturer to a factory production control, and that the approved certification body EFACTIS UK/Ireland, has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of factory production control.

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performance, described in Annex ZA of the standard **EN 13166 : 2012 + A2: 2016** under system 1 are applied, and that the product(s) fulfil(s) all the prescribed requirements set out above.


This certificate, first issued on **19th May, 2025**, remains valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product and the manufacturing conditions in the plant are not modified significantly.

This certificate allows the manufacturer, its mandatories or its distributors, stated in the United Kingdom Economic Area, to affix the UKCA marking.

Certificate established at Belfast on: **19th May 2025**.

By the Certification Technical Director,


Daniel JOYEUX
Certification Technical Director



Approved body
Nr 2822

**ANNEX TO THE CERTIFICATE OF CONSTANCY OF PERFORMANCE
TO THE STANDARD EN 13166 : 2012 + A2 : 2016**

N° 2822-UKCA-CPR-0217

Product	Thermal insulation products for buildings. Factory made phenolic foam (PF) products.
Reference of the product	Kingspan Kooltherm K110 Soffit Board
Certificate delivered to	KINGSPAN Insulation Limited Torvale Industrial Estate, Pembridge, Leominster HR6 9LA, UK

Description of the field covered by the certificate in accordance with the classification reports issued by Efectis UK/Ireland n° EUI 22-000057C rev1, EUI-24-000908A rev1, EUI 24-000908B:

DESCRIPTION OF PRODUCT/FAMILY

- Thermal insulation Phenolic foam with facers - asymmetrical: thickness 65 mm to 120 mm
- Composition:
 - Perforated aluminium facer reinforced with glass scrim and glass mat, material code: 100000046066 or 100000077827
 - Phenolic foam: thickness: 65 mm to 120 mm – density: 33.08 kg/m³ to 46.53 kg/m³
 - Glass fiber facer: thickness 0.63 µm – mass per unit area: 0.07 kg/m² (material code: 10000001961)

CLASSIFICATION

Glass fabric facer side:	C-s2, d0
Perforated Aluminium facer side	B-s2, d0

FIELD OF APPLICATION

Valid for the thickness range of 65 – 120 mm
Valid for a foam density of 33.08 - 46.53 kg/m³
Valid for tested type of product/facing only (same formulation)
Valid for all joint arrangements
Valid for all product sizes
Valid with any substrate, except plasterboard, of class A1 or A2-s1, d0 and with a density of at least 652.5 kg/m³
Valid without any air gap/ cavity
Valid with mechanical fixings as tested

The detailed description of the product and the field of application are provided in the classification report referenced EUI-22-000057-C-Revision1, EUI-24-000908A-Revision1 and EUI-24-000908B

Certificate established at Belfast on: **19th May 2025.**

By the Certification Technical Director,

Daniel JOYEUX
Certification Technical Director



Approved body
Nr 2822